



SINGLE VISION FINISHED LENSES
1.49 Index (CR-39)

Attractive: One of the thinnest lenses in the industry (1.5 mm centre thickness) with base curves that are as flat as possible

Index (Nd)	1.498
Material	CR-39

Protective: Scratch coated and Anti-Reflective coating on both sides. In addition the mid and high index lenses have in-built protection from UV rays and are EMI coated to reduce eyestrain from flickering computer screens

Abbe Value	58
Specific Gravity	1.32
UV Cutoff	360 nm

Certified: The materials and coatings are of the highest quality and carry approvals of the US FDA, European Union and the independent lab TUV of Germany



Advanced: The coating utilizes thin film technology with a proprietary six-layer anti-reflective (A/R) coating applied to the anti-scratch coated lens then covered with a hydrophobic layer that repels water, dust and fingerprints

CLEX 1.50 HMC / AR

Minus on Minus																	Plus on Minus																		
-CYL																	-CYL																		
SPH	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	SPH	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00
0.00																		0.00																	
0.25																		0.25																	
0.50																		0.50																	
0.75																		0.75																	
1.00																		1.00																	
1.25																		1.25																	
1.50																		1.50																	
1.75																		1.75																	
2.00																		2.00																	
2.25																		2.25																	
2.50																		2.50																	
2.75																		2.75																	
3.00																		3.00																	
3.25																		3.25																	
3.50																		3.50																	
3.75																		3.75																	
4.00																		4.00																	
4.25																		4.25																	

CLEX 1.50 TINTABLE HARD COAT

Minus on Minus																	Plus on Minus																		
-CYL																	-CYL																		
SPH	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	SPH	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00
0.00																		0.00																	
0.25																		0.25																	
0.50																		0.50																	
0.75																		0.75																	
1.00																		1.00																	
1.25																		1.25																	
1.50																		1.50																	
1.75																		1.75																	
2.00																		2.00																	
2.25																		2.25																	
2.50																		2.50																	
2.75																		2.75																	
3.00																		3.00																	
3.25																		3.25																	
3.50																		3.50																	
3.75																		3.75																	
4.00																		4.00																	
4.25																		4.25																	
4.50																		4.50																	
4.75																		4.75																	
5.00																		5.00																	
5.25																		5.25																	
5.50																		5.50																	
5.75																		5.75																	
6.00																		6.00																	